

LIST OF DRUGS THAT MAY INTERFERE WITH COAGULATION

Discontinue the following medications 2 weeks prior to surgery as advised by your Physician or Nurse.

Tylenol and Benadryl are safe for use before surgery

| | |
|------------------------|---------------------|
| Advil | Empirin |
| Aleve | Equagesic |
| Aspirin | Excedrin |
| Alka Seltzer | Ibuprofen |
| Anacin | Motrin |
| APC Tablets | Norgesic |
| Arthritis Pain Formula | Panalgesic |
| Ascriptin | Pepto-Bismol |
| Aspergum | Percodan |
| Bayer | Quiet World |
| BC Powder | Robaxin |
| Bufferin | Sine-Aid |
| Buff-A-Comp | Sine-Off |
| Congesprin | Sudafed |
| Cope | Talwin |
| Coricidin | Triaminicin |
| Darvon | Vanquish |
| Dristan | Viro-Med |
| Ecotrin | Zorpirin |

****Do not take any over the counter or prescribed decongestants including Zyrtec D, Allegra D, Sudafed, Robitussin DM or any medication that has pseudoephedrine, phenylephrine or a decongestant in them. If you have a cold, fever, allergy or sinus problem, please contact your nurse prior to taking any medication.**

Anticoagulants:

Coumadin (Warfarin)

St John's Wort

Dicumarol

Biloba

Heparin and Derivatives

Injectables used in hospitalized patients

Panwarfin

Herbal Supplements:

ALL HERBALS including, but not limited to:

Chamomile

Ginko

Ginseng

Garlic

Ginger

GreenTea Supplement

Airborne

Other:

ALL Migraine Medications: (ie: Fiorinal, Maxalt, Imitrex) Nalfon

Adderall

Oxalid

Aldomet

Plavix

Anti-cancer Agents (Tamoxifen, Femara)

Azolid

Quinidine (Cin-Quin, Quinidex,

Butazolidin

Quinora, Quinidine tabs)

Calcium

Quinine preparations (Quinamm)

Clinoril

Red Yeast Rice

Rufen

Clofibrate (Atromid)

Synkavite (Menadiol Sodium Diphosphate)

D-thyroxine (Choloxin)

Tandearil

Fish Oil

Tetracyclines

Indocin

Vitamin C

Mega Red

Vitamin E

Multiple Vitamins

Naproxen

